al

--21. (Amended) The displaying information management method for a portable terminal according to claim 19, further comprising

a step of urging the user to select an unnecessary font when the telephone directory font storage area has no storage capacity available; and

a step of writing information of a font to be newly used into an area of the telephone directory font storage area for an unnecessary font designated with an unnecessary font selection instruction by the user.--

REMARKS

Claims 1-21 remain in the application and have been amended hereby.

As will be noted from the Declaration, Applicant is a citizen and resident of Japan and this application originated there.

Accordingly, the claims are amended to place them in better condition for examination.

Attached hereto is a version with markings to show changes made to the claims by the current amendment.

The Office is hereby authorized to charge any additional fees which may be required in connection with this Preliminary

Amendment and to credit any overpayment to our Deposit Account No. 03-3125.

If a telephone interview could advance the prosecution of this application, the Examiner is respectfully requested to call the undersigned attorney.

An early and favorable examination on the merits is earnestly solicited.

Respectfully submitted, COOPER & DUNHAM LLP

Jay H. Maioli Reg. No. 27, 213

JHM/SL

 ${\tt G: \tt Vusers \tt LOUKSPYR \tt Amendments \tt \SONY7217 \tt \63438 \tt \63438 preamd.wpd}$

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS

Claims 1-21 have been amended hereby as follows.

1. (Amended) A portable terminal, comprising:

display means having a display screen;

input operation means for being operated by a user of said portable terminal to input an operation input;

storage means for storing information to be displayed on said display screen;

display control means for reading out information [to be used] to display on [said] the display screen from said storage means in response to the operation input from said input operation means and controlling said display means to make a display corresponding to the operation input on [said] the display screen based on the read out information from said storage means;

loading/unloading detection means for detecting loading or unloading of an external storage medium into or from said portable terminal;

authentication means operable when loading of an external storage medium is detected by said loading/unloading detection

means for authenticating the <u>loaded</u> external storage medium based on authentication information read out from the <u>loaded</u> external storage medium;

readout means operable when [the] <u>an</u> authentication by said authentication means results in success for reading out data stored in the loaded external storage medium; and

write means for writing the data read out by said readout means into said storage means.

2. (Amended) [A] The portable terminal according to claim

1, wherein the [information stored] data written by said write

means into said storage means includes at least information of

a displaying font corresponding to a used language and the

loaded external storage medium has at least information of

displaying fonts of a plurality of languages stored therein,

said portable terminal further comprising

notification means operable when the authentication by said authentication means results in success for notifying the user of the plurality of languages with regard to which the information of displaying fonts is stored in the <u>loaded</u> external storage medium; and

selective input acceptance means for accepting a selective input of the user from among the plurality of languages of which

the user is notified by said notification means, wherein said readout means [reading] reads out [the] information of [the] a displaying font of [the] a language designated by the selective input accepted by said selective input acceptance means from the loaded external storage medium, and said write means [writing] writes the read out information of the displaying font into a storage area set in advance of said storage means.

- 3. (Amended) [A] The portable terminal according to claim 2, wherein said storage means has an essential language font storage area and a rewritable language font storage area prepared therein, and the information of the displaying font read out from the loaded external storage medium is written into [said] the rewritable language font storage area.
- 4. (Amended) [A] <u>The</u> portable terminal according to claim 1, further comprising

warning means for issuing a warning when the authentication by said authentication means results in failure.

5. (Amended) [A] <u>The</u> portable terminal according to claim

1, further comprising

radio communication means[,] ; and

reporting means operable when the authentication by said authentication means results in failure successively by a number of times determined in advance for reporting the failure of the authentication to a reporting destination set in advance through said radio communication means.

6. (Amended) [A] <u>The</u> portable terminal according to claim

1, wherein said portable terminal is a portable communication

terminal and further comprises

updating means operable when the authentication of the loaded external storage medium by said authentication means results in success for updating [the] stored contents of the loaded external storage medium with updating information acquired over a communication circuit.

7. (Amended) [A] <u>The portable terminal according to claim</u>
2, wherein said portable terminal is a portable telephone
terminal and further comprises

means for storing a telephone directory in which destination subscribers and telephone numbers are stored in a corresponding relationship and wherein said storage means further includes a telephone directory font storage area for independently storing information of fonts for [the] destination

subscribers registered in [said] the telephone directory, and said write means writes the information of the displaying [fonts] font read out by said readout means into a storage area of said storage means set as an area other than [said] the telephone directory font storage area.

8. (Amended) [A] <u>The</u> portable terminal according to claim 3, further comprising

means for storing a telephone directory in which destination subscribers and telephone numbers are stored in a corresponding relationship, and wherein said storage means further includes a telephone directory font storage area, and said write means [stores] writes only information of [the] fonts stored in [said] the rewritable language font storage area of said storage means within [the] information of [the] fonts of [the] destination subscribers registered in [said] the telephone directory into [said] the telephone directory font storage area.

9. (Amended) [A] <u>The</u> portable terminal according to claim 7, further comprising

means for urging the user to select an unnecessary font when [said] the telephone directory font storage area has no [free] storage capacity [any more,] available; and

means for writing information of a font to be [used] newly used into an area of [said] the telephone directory font storage area for [the] an unnecessary font designated with an unnecessary font selection instruction by the user.

10. (Amended) [A] <u>The</u> portable terminal according to claim 8, further comprising

means for urging the user to select an unnecessary font when [said] the telephone directory font storage area has no [free] storage capacity [any more,] available; and

means for writing information of a font to be [used] newly used into an area of [said] the telephone directory font storage area for [the] an unnecessary font designated with an unnecessary font selection instruction by the user.

- 11. (Amended) [A] The portable terminal according to claim 1, wherein the external storage medium and said portable terminal have a one-by-one verification code, and said authentication means verifies the verification codes of said portable terminal and [an] the loaded external storage medium [loaded in said portable terminal].
 - 12. (Amended) A displaying information management method

for a portable terminal for managing stored information of a storage [means] unit of [said] the portable terminal such that information [to be used] to display on a display screen is read out from [said] the storage [means] unit in response to an operation input through an input operation [means] unit and display is made on [said] the display screen based on the read out information from the storage unit in response to the operation input, comprising:

a preparation step of preparing an external storage medium in which a plurality of pieces of information are stored as information to be displayed on [said] the display screen;

an authentication step of authenticating, when loading of [the] an external storage medium is detected by [said] the portable terminal, the <u>loaded</u> external storage medium based on authentication information read out from the <u>loaded</u> external storage medium;

a readout step of reading out, when [the] <u>an</u> authentication in [the] <u>said</u> authentication step results in success, data stored in the loaded external storage medium; and

a write step of writing the data read out in [the] <u>said</u> readout step into [said] <u>the</u> storage [means] <u>unit</u>.

13. (Amended) [A] The displaying information management

method for a portable terminal according to claim 12, wherein the [information stored] data written in said write step into [said] the storage [means] unit includes at least information of a displaying font corresponding to a used language and the loaded external storage medium has at least information of displaying fonts of a plurality of languages stored therein, [the] said displaying information management method further comprising

a notification step of notifying, when the authentication in [the] <u>said</u> authentication step results in success, a user of [said] <u>the</u> portable terminal of the plurality of languages with regard to which the information of displaying fonts is stored in the <u>loaded</u> external storage medium; and

a selective input acceptance step of accepting a selective input of the user from the plurality of languages of which the user is notified in [the] <u>said</u> notification step, <u>wherein</u> in [the] <u>said</u> readout step [the] information of [the] <u>a</u> displaying font of [the] <u>a</u> language designated by selective input accepted in [the] <u>said</u> selective input acceptance step [being] <u>is</u> read out from the <u>loaded</u> external storage medium, <u>and</u> in the write step the read out information of the displaying font [being] <u>is</u> written into a storage area set in advance of [said] <u>the</u> storage [means] <u>unit</u>.

- 14. (Amended) [A] The displaying information management method for a portable terminal according to claim 13, wherein [said] the storage [means] unit has an essential language font storage area and a rewritable language font storage area prepared therein, and the information of the displaying font read out from the loaded external storage medium is written into [said] the rewritable language font storage area.
- 15. (Amended) [A] <u>The</u> displaying information management method for a portable terminal according to claim 12, further comprising

a warning step of issuing a warning when the authentication in [the] <u>said</u> authentication step results in failure.

16. (Amended) [A] The displaying information management method for a portable terminal according to claim 12, wherein [said] the portable terminal further includes a radio communication [means] unit, and said displaying information management method further comprises

a reporting step of reporting, when the authentication in [the] <u>said</u> authentication step results in failure successively by a number of times determined in advance, the failure of the authentication to a reporting destination set in advance through

[said] the radio communication [means] unit.

17. (Amended) [A] <u>The</u> displaying information management method for a portable terminal according to claim 12, wherein [said] <u>the</u> portable terminal is a portable communication terminal, and said displaying information management method further comprises

an updating step of updating, when the authentication of the loaded external storage medium in [the] <u>said</u> authentication step results in success, [the] stored contents of the <u>loaded</u> external storage medium with updating information acquired over a communication circuit.

18. (Amended) [A] The displaying information management method for a portable terminal according to claim 13, wherein [said] the portable terminal is a portable telephone terminal and further includes [means] a telephone directory storage unit for storing a telephone directory in which destination subscribers and telephone numbers are stored in a corresponding relationship and [said] wherein the telephone directory storage [means] unit further includes a telephone directory font storage area for independently storing information of fonts for [the] destination subscribers registered in [said] the telephone

directory, and in [the] said write step the information of the displaying [fonts] font read out in [the] said readout step [being] is written into a storage area of [said] the telephone directory storage [means] unit set as an area other than [said] the telephone directory font storage area.

- 19. (Amended) [A] The displaying information management method for a portable terminal according to claim 14, wherein the portable terminal further includes [said] [means] telephone directory storage unit for storing a telephone directory in which destination subscribers and telephone numbers are stored in a corresponding relationship and [said] the telephone directory storage [means] unit further includes a telephone directory font storage area, and in [the] said write step only information of [the] fonts stored in [said] the rewritable language font storage area of [said] the telephone directory storage [means] unit within [the] information of [the] fonts of [the] destination subscribers registered in [said] the telephone directory [being stored] is written into [said] the telephone directory font storage area.
- 20. (Amended) [A] <u>The</u> displaying information management method for a portable terminal according to claim 18, further

comprising

a step of urging the user to select an unnecessary font when [said] the telephone directory font storage area has no [free] storage capacity [any more,] available; and

a step of writing information of a font to be [used] newly used into an area of [said] the telephone directory font storage area for [the] an unnecessary font designated with an unnecessary font selection instruction by the user.

21. (Amended) [A] <u>The</u> displaying information management method for a portable terminal according to claim 19, further comprising

a step of urging the user to select an unnecessary font when [said] the telephone directory font storage area has no [free] storage capacity [any more,] available; and

a step of writing information of a font to be [used] newly used into an area of [said] the telephone directory font storage area for [the] an unnecessary font designated with an unnecessary font selection instruction by the user.